




Variable Aperture In-ceiling Subwoofer  
(round/square port tube) (left port orientation)



TOP VIEW



FRONT VIEW




SIDE VIEW


3" ROUND TRIM RING (VISIBLE) AND  
PERF GRILL SHOWN

**OVERALL DIMENSIONS:** (H) 6.87" [17.44cm] x (W) 10.19" [25.9cm] x (D) 22.72" [57.7cm]  
**WEIGHT:** 15.5lbs (7.1kg) each


Variable Aperture In-ceiling Subwoofer  
(3x10 rectangular port tube) (left port orientation)



TOP VIEW




SIDE VIEW




FRONT VIEW

**OVERALL DIMENSIONS:** (H) 6.87" [17.44cm] x (W) 12.75" [32.39cm] x (D) 23" [58.41cm]  
**WEIGHT:** 15.5lbs (7.1kg) each


Variable Aperture In-ceiling Subwoofer  
(2x8 rectangular port tube) (left port orientation)



TOP VIEW




SIDE VIEW



FRONT VIEW

**OVERALL DIMENSIONS:** (H) 6.87" [17.44cm] x (W) 11.9" [30.21cm] x (D) 22.95" [58.29cm]  
**WEIGHT:** 15.5lbs (7.1kg) each

Variable Aperture In-ceiling Subwoofer  
(center of port tube to cabinet edge)



**OVERALL DIMENSIONS:** (H) 6.87" [17.44cm] x (W) 11.9" [30.21cm] x (D) 22.95" [58.29cm]  
**WEIGHT:** 15.5lbs (7.1kg) each